

# Washington

## 1998 reimbursement rates for commonly used CPT™ codes

	<u>Washington</u>	<u>Pacific</u>	<u>US</u>	<u>Medicare</u>
<b>EPSDT - Preventive Medicine Services</b>				
99381 - New Patient, under 1 year	\$56.24	\$59.85	\$45.87	\$88.09
99382 - New Patient, 1 through 4 years	\$64.96	\$66.69	\$47.32	\$100.78
99383 - New Patient, 5 through 11 years	\$73.68	\$71.61	\$48.58	\$100.78
99384 - New Patient, 12 through 17 years	\$78.04	\$78.81	\$52.48	\$113.47
99385 - New Patient, 18 through 39 years	\$82.40	\$85.31	\$53.58	\$106.14
99391 - Established Patient, under 1 year	\$43.60	\$49.44	\$40.08	\$75.77
99392 - Established Patient, 1 to 4 yrs	\$52.32	\$56.65	\$42.10	\$88.09
99393 - Established Patient, 5 to 11 yrs	\$60.60	\$61.56	\$43.41	\$88.09
99394 - Established Patient, 12 to 17 yrs	\$64.96	\$69.68	\$47.01	\$100.78
99395 - Established Patient, 18 to 39 yrs	\$69.32	\$78.38	\$47.15	\$94.55
99401 - Individual Counseling, 15 min	NC	\$38.73	\$23.93	\$33.76
99402 - Individual Counseling, 30 min	NC	\$77.31	\$37.07	\$67.46
<b>EPSDT - Evaluation and Management</b>				
99201 - New Patient, office visit	\$35.20	\$44.74	\$25.68	\$32.02
99202 - New Patient, expanded office visit	\$55.54	\$59.22	\$35.89	\$50.15
99203 - New Patient, low complexity	\$77.05	\$76.24	\$46.87	\$68.93
99204 - New Patient, intermediate complexity	\$114.59	\$100.85	\$66.06	\$102.50
99205 - New Patient, high complexity	\$143.92	\$120.39	\$94.53	\$128.35
99211 - Established Patient, office visit	\$15.64	\$30.41	\$14.26	\$14.16
99212 - Established Patient, expanded office visit	\$30.51	\$40.03	\$23.18	\$27.61
99213 - Established Patient, low complexity	\$43.80	\$49.19	\$43.80	\$39.42
99214 - Established Patient, intermediate complexity	\$66.10	\$59.85	\$43.54	\$59.39
99215 - Established Patient, high complexity	\$104.42	\$92.66	\$63.20	\$93.67
92551 - Screening test, hearing evaluation	\$9.44	\$13.13	\$12.12	NA
92567 - Tympanometry, hearing evaluation	\$10.02	\$19.19	\$12.75	\$20.54

'OM' Other method, 'NC' Not covered, 'NA' Not applicable, 'NP' not provided by state.

Source: American Academy of Pediatrics Division of Health Policy Analysis of Medicaid Reimbursement Survey - 1998/1999.

	<u>Washington</u>	<u>Pacific</u>	<u>US</u>	<u>Medicare</u>
<b><i>EPSTD - Newborn Care</i></b>				
99431 - Initial newborn care	\$94.65	\$83.46	\$63.90	\$86.69
99433 - Subsequent newborn care	\$39.50	\$50.11	\$32.47	\$45.81
99435 - Admit and discharge on same day	\$122.02	\$117.90	\$74.90	\$111.00
<b><i>Immunizations</i></b>				
90701 - DPT	\$14.90	\$9.82	\$15.21	NA
90702 - DT	\$5.00	\$7.84	\$18.84	NA
90707 - Measles, mumps, rubella	\$5.00	\$7.84	\$16.74	NA
90712 - Oral polio	\$5.00	\$7.84	\$10.01	NA
90716 - Varicella	\$5.00	\$7.84	\$23.22	NA
90718 - Td	\$5.00	\$7.84	\$7.76	NA
90724 - Influenza virus	\$5.00	\$7.84	\$9.11	NA
90737 - Hemophilus Influenza B	\$5.00	\$7.84	\$12.92	NA
90721 - DTaP, HIB	NC	\$8.55	\$13.87	NA
90744 - Hepatitis B, under 11 years	\$5.00	\$7.84	\$15.64	NA
90745 - Hepatitis B, 11 through 19 years	\$5.00	\$7.84	\$17.78	NA
90749 - Unlisted immunization procedure	OM	\$4.20	\$9.01	NA
90782 - Therapeutic or diagnostic injection	\$2.45	\$3.52	\$5.04	\$4.04
<b><i>Evaluation and Management</i></b>				
99217 - Observation care discharge	\$40.53	\$55.78	\$40.23	\$63.61
99218 - Initial care, low severity	\$44.54	\$57.90	\$45.54	\$70.21
99219 - Initial care, intermediate severity	\$72.15	\$93.37	\$70.01	\$113.82
99220 - Initial care, high severity	\$93.09	\$122.40	\$88.96	\$145.72
99354 - Prolonged service, 1 hr, face-to-face	\$57.23	\$70.99	\$61.43	\$90.00
99361 - Team medical conference	\$28.95	\$26.70	\$27.96	NA
99371 - Telephone call for consultation	\$3.34	\$6.67	\$5.09	NA
99374 - Supervision of home health care patient	OM	\$91.17	\$50.82	NA
<b><i>Newborn Care</i></b>				
99436 - Physician attendance at delivery	\$69.48	\$98.64	\$79.18	110.00
99440 - Newborn resuscitation	\$136.07	\$186.10	\$117.86	217.07
54150 - Circumcision	\$52.78	\$74.69	\$55.92	82.54

'OM' Other method, 'NC' Not covered, 'NA' Not applicable, 'NP' not provided by state.

Source: American Academy of Pediatrics Division of Health Policy Analysis of Medicaid Reimbursement Survey - 1998/1999.

	<u>Washington</u>	<u>Pacific</u>	<u>US</u>	<u>Medicare</u>
<b>Hospital Care</b>				
99219 - Initial observation, moderate complexity	\$72.15	\$93.37	\$68.97	\$113.82
99220 - Initial observation, high complexity	\$93.09	\$122.48	\$89.40	\$145.72
99221 - Initial hospitalization, low complexity	\$44.32	\$55.88	\$45.10	\$69.84
99222 - Initial hospitalization, intermediate complexity	\$71.93	\$94.44	\$70.04	\$113.45
99223 - Initial hospitalization, high complexity	\$92.64	\$121.51	\$87.14	\$144.98
99231 - Subsequent hospitalization, low complexity	\$23.16	\$32.98	\$25.42	\$36.57
99232 - Subsequent hospitalization, intermediate	\$34.07	\$46.31	\$34.51	\$53.64
99233 - Subsequent hospitalization, high complexity	\$47.66	\$64.25	\$50.31	\$74.65
99238 - Hospital discharge, under 30 min	\$40.31	\$53.37	\$38.75	\$63.24
<b>Consultations</b>				
99242 - Office visit, straightforward decision	\$47.21	\$63.31	\$51.46	\$74.95
99243 - Office visit, low complexity	\$61.24	\$82.15	\$65.66	\$97.12
99244 - Office visit, intermediate complexity	\$86.41	\$115.64	\$87.76	\$135.96
99245 - Office visit, high complexity	\$116.25	\$146.10	\$111.37	\$183.26
99254 - Initial inpatient visit, moderate complexity	\$86.85	\$114.14	\$87.42	\$136.88
99255 - Initial inpatient visit, high complexity	\$118.03	\$145.63	\$111.95	\$185.53
<b>Pathology and Laboratory</b>				
81000 - Urinalysis, non-automated	\$2.91	\$4.00	\$4.03	NA
81001 - Urinalysis, automated	\$2.91	\$4.01	\$5.23	NA
85095 - Bone marrow aspiration	\$39.64	\$53.27	\$43.58	\$62.75
86580 - Tuberculosis, intradermal	\$5.79	\$7.96	\$7.34	\$9.52
86588 - Streptococcus screen	\$8.70	\$8.90	\$11.64	NA
87060 - Throat or nose culture	\$7.12	\$9.61	\$9.39	NA
<b>Psychiatry</b>				
90801 - Diagnostic interview examination	\$78.17	\$91.80	\$71.13	\$122.08

'OM' Other method, 'NC' Not covered, 'NA' Not applicable, 'NP' not provided by state.

Source: American Academy of Pediatrics Division of Health Policy Analysis of Medicaid Reimbursement Survey - 1998/1999.

	<u>Washington</u>	<u>Pacific</u>	<u>US</u>	<u>Medicare</u>
<b>Allergy/Immunology</b>				
95004 - Percutaneous tests with allergenic extracts	\$2.23	\$2.69	\$2.28	\$3.67
95010 - Percutaneous tests, sequential and incremental	\$6.01	\$6.47	\$5.31	\$9.45
95015 - Intracutaneous tests, with biologicals	\$6.01	\$6.09	\$5.26	\$9.45
95024 - Intracutaneous tests with allergenic extracts	\$3.34	\$3.89	\$3.42	\$5.50
95115 - Allergenic immunotherapy, single injection	\$8.69	\$9.60	\$7.60	\$14.31
95117 - Allergen immunotherapy, two or more injections	\$11.14	\$16.36	\$10.31	\$18.34
<b>Cardiology</b>				
32020 - Thoracostomy tube	\$153.89	\$174.18	\$168.15	\$246.16
92950 - Cardiopulmonary resuscitation	\$137.63	\$184.47	\$135.20	\$217.36
93303 - Transthoracic echocardiography	\$139.86	\$207.26	\$152.20	\$228.64
93307 - Echocardiography, real-time with image documentation	\$131.62	\$190.78	\$149.54	\$215.85
93320 - Doppler echocardiography	\$57.46	\$88.23	\$81.89	\$94.60
93501 - Right heart catheterization	\$528.91	\$634.10	\$455.79	\$870.93
93510 - Left heart catheterization	\$1,003.49	\$1,185.90	\$785.16	\$1654.99
<b>Critical Care</b>				
31500 - Intubation, endotracheal	\$79.28	\$99.73	\$81.47	\$125.35
36488 - Place catheter, percutaneous, < 2yrs old	\$53.89	\$73.84	\$80.01	\$86.14
36489 - Place catheter, percutaneous, > 2yrs old	\$54.78	\$69.66	\$79.24	\$88.37
36600 - Arterial puncture, diagnostic	\$13.58	\$16.26	\$17.72	\$21.77
36620 - Arterial line placement	\$42.54	\$60.06	\$53.58	\$68.04
99291 - Evaluation and management, first hour	\$122.04	\$156.06	\$116.62	\$191.07
99292 - Evaluation and management, add. 30 minutes	\$58.79	\$73.68	\$57.52	\$91.86
<b>Emergency Care</b>				
10120 - Simple surgical removal of foreign body	\$38.08	\$45.10	\$40.62	\$131.59
12015 - Simple surgical repair of facial wound	\$108.90	\$130.87	\$107.56	\$171.89
36400 - Venipuncture, under 2 years	\$6.24	\$10.24	\$13.49	\$9.72
36410 - Venipuncture, over 2 years	\$9.35	\$12.39	\$15.36	\$14.86
36415 - Venipuncture for specimen collection	\$2.26	\$2.97	\$6.78	NA
62270 - Lumbar puncture, diagnostic	\$41.87	\$53.58	\$51.02	\$66.26

'OM' Other method, 'NC' Not covered, 'NA' Not applicable, 'NP' not provided by state.

Source: American Academy of Pediatrics Division of Health Policy Analysis of Medicaid Reimbursement Survey - 1998/1999.

	<u>Washington</u>	<u>Pacific</u>	<u>US</u>	<u>Medicare</u>
<b><i>Emergency Care, cont.</i></b>				
99282 - Visit, low complexity	\$21.16	\$29.80	\$24.96	\$33.55
99283 - Visit, intermediate complexity	\$38.97	\$49.80	\$38.28	\$61.16
99284 - Visit, high complexity	\$59.68	\$73.75	\$55.32	\$93.48
<b><i>Gastrointestinal</i></b>				
43239 - Upper gastrointestinal endoscopy with biopsy	\$142.08	\$227.98	\$211.90	\$228.81
43331 - Esophagomyotomy (Heller) –thoracic approach	\$723.33	\$1,087.08	\$789.60	\$1168.60
<b><i>Otolaryngology</i></b>				
42820 - Tonsillectomy/adenoidectomy, under 12 years	\$162.35	\$226.03	\$216.01	\$258.85
42821 - Tonsillectomy/adenoidectomy, over 12 years	\$190.41	\$269.51	\$248.13	\$305.38
69436 - Tympanostomy and tubes	\$94.87	\$117.65	\$136.98	\$152.52
<b><i>Perinatal Pediatrics (neonatal intensive care)</i></b>				
36510 - Umbilical vein catheterization	\$32.07	\$41.69	\$42.32	\$49.88
36660 - Umbilical artery catheterization	\$42.54	\$56.92	\$60.60	\$66.54
99295 - Initial NICU care	\$492.17	\$593.76	\$475.93	\$781.51
99296 - Subsequent NICU, unstable neonate	\$244.30	\$305.33	\$257.05	\$387.64
99297 - Subsequent NICU, stable	\$122.04	\$172.25	\$143.16	\$193.64
<b><i>Plastic Surgery</i></b>				
40700 - Cleft lip repair	\$493.06	\$717.66	\$618.59	\$787.62
42200 - Cleft palate repair	\$440.06	\$624.52	\$604.42	\$698.67
<b><i>Pulmonology</i></b>				
31622 - Bronchoscopy	\$136.52	\$206.46	\$189.25	\$219.67
32000 - Thoracentesis	\$81.95	\$73.00	\$65.99	\$87.76
94010 - Spirometry, including graphic record	\$20.05	\$35.44	\$26.35	\$32.50

'OM' Other method, 'NC' Not covered, 'NA' Not applicable, 'NP' not provided by state.

Source: American Academy of Pediatrics Division of Health Policy Analysis of Medicaid Reimbursement Survey - 1998/1999.

	<u>Washington</u>	<u>Pacific</u>	<u>US</u>	<u>Medicare</u>
<b>Radiology</b>				
71010 - Frontal chest x-ray	\$16.70	\$22.81	\$18.98	\$26.97
<b>Surgery</b>				
28262 - Extensive clubfoot release	\$640.26	\$863.70	\$712.10	\$1022.33
44950 - Appendectomy	\$318.24	\$455.72	\$391.78	\$509.14
49500 - Bilateral inguinal hernia, under 5 years	\$230.72	\$371.33	\$325.81	\$375.00
49505 - Bilateral inguinal hernia, over 5 years	\$259.89	\$398.32	\$347.19	\$418.28
<b>Urology and Dialysis</b>				
50200 - Renal biopsy	\$120.26	\$142.42	\$131.25	\$192.30
90918 - ESRD (end stage renal dis	\$297.75	\$319.74	\$268.31	\$461.60
90919 - ESRD, 2 through 11 years	\$239.63	\$280.03	\$223.58	\$372.79
90920 - ESRD, 12 through 19 years	\$211.79	\$261.03	\$211.90	\$330.06
90945 - Peritoneal dialysis	\$58.12	\$81.54	\$70.43	\$92.59

'OM' Other method, 'NC' Not covered, 'NA' Not applicable, 'NP' not provided by state.

Source: American Academy of Pediatrics Division of Health Policy Analysis of Medicaid Reimbursement Survey - 1998/1999.