

# Pediatrician Participation in Medicaid/SCHIP

Survey of Fellows of the American Academy of Pediatrics, 2000



BETH K. YUDKOWSKY, MPH  
SUK-FONG S. TANG, PhD  
ALICIA M. SISTON, MPH

## Idaho

This report includes Private Office-based  
Pediatricians in Direct Patient Care

American Academy of Pediatrics





**PEDIATRICIAN PARTICIPATION IN MEDICAID / SCHIP - Idaho**

*Survey of AAP Members, 2000*<sup>1</sup>

	<u>Idaho</u>	<u>Mountain</u> (Region includes: AZ, CO, ID, MT, NM, NV, UT & WY)	<u>US</u>
<b><u>Survey Sample</u></b>			
Number of Non-federal Pediatricians (1998) <sup>2</sup>	80	2,497	54,988
AAP Fellows Surveyed	71	1,438	13,050
Survey Response Rate	81.7%	71.9%	66.8%
Surveys Included in this Report <sup>1</sup>	53	668	5,487
<b><u>Medicaid Enrollment and Expenditures, FY 1998</u></b> <sup>3</sup>			
Total Medicaid Enrollees	116,718	1,926,532	40,377,603
Percent Child Enrollees <sup>4</sup>	63.9%	62.9%	56.1%
Total Medicaid Payments	\$425 M	\$6,004 M	\$142,058 M
Percent Payments to Children <sup>4</sup>	24.4%	34.2%	23.3%
Average Payments per Child Enrollee	\$1,346	\$1,663	\$1,449
<b><u>Pediatrician Participation in Medicaid/SCHIP</u></b>			
Currently Participate in Medicaid / SCHIP	100.0% / NS	94.4% / 85.7%	89.5% / 87.1%
Percent who accept ALL Medicaid/ SCHIP / Private Patients	<u>Medicaid</u> 64.7% <u>SCHIP</u> NS <u>Private</u> 72.5%	<u>Medicaid</u> 60.4% <u>SCHIP</u> 64.6% <u>Private</u> 68.6%	<u>Medicaid</u> 61.2% <u>SCHIP</u> 63.7% <u>Private</u> 74.3%
with Patient Caseload At Capacity	60.7% ~ NS 64.3% ~	57.7% 63.6% 65.7%	58.4% 62.0% 70.4%
with Patient Caseload Under Capacity	60.0% ~ NS 80.0% ~	64.0% 62.0% 80.9%	64.8% 67.7% 85.7%
with Patient Caseload Over Capacity	90.9% ~ NS 90.9% ~	66.1% 68.3% 64.7%	64.0% 64.5% 69.5%
<b><u>Medicaid Reimbursement and Participation</u></b>			
Medicaid Payments Cover Overhead <sup>5</sup>	39.2%	21.0%	13.2%
Medicaid payments Do Not Cover Overhead	39.2%	46.9%	54.4%
<i>Do not know whether Medicaid Payments Cover Overhead</i>	21.6%	32.1%	32.4%
Percent who will see more Medicaid patients with Increased Reimbursement	47.2%	33.6%	31.0%
Percentage of Customary Fee for Well-child Visit Needed to:			
Accept More, or any, Medicaid patients	84.8%	80.7%	82.0%
Accept All Medicaid patients	89.9%	84.7%	86.5%

1 - Report based on a national total of 5487 returned survey. 2 - AMA Master File 1998. 3 - HCFA2082, FY 1998. Data for Oklahoma is based on fee-for-service payments per child recipient for 1997 and are not included in the regional and state totals. 4 - Under Age 21. 5 - Percent of pediatricians who indicate that Medicaid reimburses enough to cover their overhead for seeing Medicaid patients.

~ Interpret with caution - either standard error is greater than 20% of estimated average, or 95% Confidence Interval exceeds plus/minus 10 percentage points of estimated proportion, or data is not available.

'NS' No SCHIP program.

PEDIATRICIAN PARTICIPATION IN MEDICAID / SCHIP - Idaho

Survey of AAP Members, 2000 (Continued)<sup>1</sup>

	<u>Idaho</u>	<u>Mountain</u> (Region includes: AZ, CO, ID, MT, NM, NV, UT & WY)	<u>US</u>
<b><u>Reasons for Limiting Participation in Medicaid</u></b>			
<i>Percent Pediatricians who rated reason "Very Important"</i>			
Low Reimbursement	74.5%	52.9%	58.4%
Paperwork Concerns	39.2%	32.6%	40.6%
Unpredictable Payments	42.9%	30.6%	39.5%
Payment Delays	40.4%	25.4%	33.3%
Missed Appointments	26.9%	29.0%	33.8%
Increasing State Managed Care Requirements	20.0%	22.9%	31.1%
Medicaid Program Too Complex	36.0%	19.9%	28.6%
Emergency Room Use	31.4%	23.2%	28.4%
Medicaid Patients Less Compliant	20.4%	22.8%	29.5%
Regulations Interfere with Quality Medical Care	15.7%	12.1%	19.9%
<b><u>Managed Care Plans Requiring Medicaid Patients</u></b> <sup>3</sup>			
Acceptance of Medicaid Patients Required	1.9%	6.2%	9.6%
Acceptance of Medicaid Patients Not Required	58.5%	47.3%	39.1%
<i>Do not know</i>	39.6%	46.6%	51.3%
<b><u>Medicaid Patients' Payment Systems</u></b>			
Managed Care, capitation	3.1%	29.4%	31.1%
Managed Care, reduced fee-for-service	58.6%	51.2%	43.6%
Non-managed Care System (i.e., traditional fee-for-service)	38.3%	16.5%	22.0%
Other	0.0%	3.0%	3.3%
<b><u>SCHIP Patients' Payment Systems</u></b>			
Managed Care, capitation	NS	27.0%	31.7%
Managed Care, reduced fee-for-service	NS	58.8%	48.7%
Non-managed Care System (i.e., traditional fee-for-service)	NS	13.2%	16.7%
Other	NS	0.9%	2.9%

1 - Report based on a national total of 5487 returned surveys. 2 - Percent of pediatricians who indicate that Medicaid reimburses enough to cover their overhead for seeing Medicaid patients. 3 - Percent of pediatricians who report that some managed care plans in their community require physicians to accept Medicaid patients in order to accept private patients.

~ Interpret with caution - either standard error is greater than 20% of estimated average, or 95% Confidence Interval exceeds plus/minus 10 percentage points of estimated proportion, or data is not available.

'NS' No SCHIP program.

# PEDIATRICIAN PARTICIPATION IN MEDICAID / SCHIP - Idaho

## Survey of AAP Members, 2000 (Continued) <sup>1</sup>

	<u>Idaho</u>	<u>Mountain</u> (Region includes: AZ, CO, ID, MT, NM, NV, UT & WY)	<u>US</u>
<b><u>Patient Source of Payment</u></b>			
Commercial Insurance	53.7%	62.7%	63.1%
Medicaid	35.2%	25.4%	26.1%
SCHIP (if separate from Medicaid)	NS	2.5%	2.4%
Medicare	1.5%	1.1%	1.4%
Uninsured	9.1%	8.3%	7.0%
<i>Percent of Services to Uninsured Patients that are Uncompensated:</i>	20.4%	34.0%	38.2%
<b><u>Patients' Payment Systems</u></b>			
Managed Care, capitation	2.4%	26.0%	27.6%
Managed Care, reduced fee-for-service	32.1%	45.2%	40.2%
Non-managed Care System (i.e., traditional fee-for-service)	61.4%	24.8%	27.8%
Other	4.2%	4.0%	4.4%
<b><u>Patient Caseload</u></b>			
At Capacity	58.8%	63.4%	57.5%
Under Capacity	19.6%	18.6%	25.7%
Over Capacity	21.6%	18.0%	16.8%
<i>Average Number of Patients in Practice</i>	4,280	3,637	4,048
<b><u>Work Load</u></b>			
At Capacity	56.6%	60.3%	58.6%
Under Capacity	20.8%	17.9%	21.8%
Over Capacity	22.6%	21.8%	19.6%
<b><u>Practice Location</u></b>			
Large Metropolitan (Population 1 Million or Above)	0.0%	38.4%	33.3%
Small Metropolitan (Population 50K to 1 Million)	66.0%	41.5%	41.5%
Nonmetropolitan (Population Between 2.5K to 50 K)	34.0%	18.3%	22.7%
Rural (Population 2.5 K or Under)	0.0%	1.7%	2.5%

1 - Report based on a national total of 5487 returned surveys.

- Interpret with caution - either standard error is greater than 20% of estimated average, or 95% Confidence Interval exceeds plus/minus 10 percentage points of estimated proportion, or data is not available.

'NS' No SCHIP program.

PEDIATRICIAN PARTICIPATION IN MEDICAID / SCHIP - Idaho

Survey of AAP Members, 2000 (Continued)<sup>1</sup>

	<u>Idaho</u>	<u>Mountain</u> (Region includes: AZ, CO, ID, MT, NM, NV, UT & WY)	<u>US</u>
<b><u>Primary Setting</u></b>			
Self-Employed Solo Practice	20.8%	11.8%	13.6%
Two Physician Practice	3.8%	7.8%	8.5%
Pediatric Group Practice	52.8%	42.3%	39.5%
Multispecialty Group	11.3%	17.5%	17.8%
HMO (Staff Model)	0.0%	7.6%	4.4%
Medical School	0.0%	1.6%	1.3%
Non-government Hospital	5.7%	4.1%	7.6%
Government Hospital or Clinic	0.0%	0.4%	0.7%
Other Setting	5.7%	6.8%	6.6%
<b><u>Percent Time Spent in Professional Activity</u><sup>2</sup></b>			
	<b><u>Percent</u></b>	<b><u>N</u></b>	<b><u>Percent</u></b>
			<b><u>N</u></b>
Direct Patient Care	92.4%	53	89.9%
			650
Self-employed	92.4%	41	90.8%
			380
Other than Self-employed	85.2%	13	81.9%
			291
Administration	7.4%	26	10.8%
			359
Academic Medicine	12.8%	11	9.7%
			130
Research		0	11.2%
			43
Fellowship Training	2.0%	1	6.0%
			20
Other Activity	6.5%	10	14.1%
			52
<b><u>Percent Time Spent in (Sub)Specialty</u><sup>2</sup></b>			
General Pediatrics	89.5%	46	92.9%
			562
Other Specialty / Subspecialty Area	69.7%	17	71.4%
			195
<b><u>Gender</u></b>			
Male	69.8%		56.7%
			55.3%
Female	30.2%		43.3%
			44.7%
<b><u>Age</u></b>			
Under 45	45.1%		49.8%
			49.5%
45 or Above	54.9%		50.2%
			50.5%
Mean Age	45.5		45.1
			45.5

1 - Report based on a national total of 5487 returned surveys.

2 - Percent time spent in professional activity during a typical workweek. Only non-zero entries are included in the average percents. Therefore the data reflect only those who reported any activities in the specified category. Number of unweighted cases contributing to the average are italicized.

- Interpret with caution - either standard error is greater than 20% of estimated average, or 95% Confidence Interval exceeds plus/minus 10 percentage points of estimated proportion, or data is not available.