

# How Do I Retake PREP Subspecialty and NeoReviewsPlus (2017-Current)

1. Verify that you have answered all the questions in the assessment.

NeoReviewsPlus

Self-Assessment PREP Pearls Editorial Board

Home Overview January February **March** April May June July August

Course Status

## March

Print

**PROGRESS** Total Questions: 8 Total Answered: 5 Correct: 3 Assessment History

View: All (8) Page 7 of 10

### Question: 6

You are caring for a 36 weeks' gestation neonate with hypoxic-hypercarbic respiratory failure. The mother received good prenatal care and the fetal ultrasonogram was normal at 17 weeks' gestation. She presented on the day of delivery with a chief complaint of decreased fetal movement. Spontaneous recurrent late fetal heart rate decelerations were noted and led to an emergent cesarean delivery. Rupture of the membranes at the time of delivery revealed scant amniotic fluid. The neonate was intubated shortly after birth for severe respiratory distress.

Vital signs include a temperature of 37.1°C, a heart rate of 174 beats/min, and blood pressure of 89/52 mm Hg. Physical findings are notable for slight deformational asymmetry of the head, diminished breath sounds bilaterally, marked abdominal distension, and rocker bottom feet. Following the administration of surfactant, the neonate continues to be managed with high-frequency ventilation, 100% oxygen, and inhaled nitric oxide, achieving a preductal saturation of 92% and a postductal saturation of 87%. A chest radiograph is performed (Figure 1).

Of the following, the test MOST likely to diagnose this neonate's underlying condition is

2. If you still have unanswered questions, use the question view drop down to filter the unanswered questions.

NeoReviewsPlus

Self-Assessment PREP Pearls Editorial Board

Home Overview January February **March** April May June July August

Course Status

## March

Print

**PROGRESS** Total Questions: 8 Total Answered: 5 Correct: 3 Assessment History

View: All (8) Page 7 of 10

All Unanswered Incorrect

Category ACGME

Question 1 Question 2 Question 3 Question 4 Question 5 Question 6 Question 7

36 weeks' gestation neonate with hypoxic-hypercarbic respiratory failure. The mother received good prenatal care and the fetal ultrasonogram was normal at 17 weeks' gestation. She presented on the day of delivery with a chief complaint of decreased fetal movement. Spontaneous recurrent late fetal heart rate decelerations were noted and led to an emergent cesarean delivery. Rupture of the membranes at the time of delivery revealed scant amniotic fluid. The neonate was intubated shortly after birth for severe respiratory distress.

Vital signs include a temperature of 37.1°C, a heart rate of 174 beats/min, and blood pressure of 89/52 mm Hg. Physical findings are notable for slight deformational asymmetry of the head, diminished breath sounds bilaterally, marked abdominal distension, and rocker bottom feet. Following the administration of surfactant, the neonate continues to be managed with high-frequency ventilation, 100% oxygen, and inhaled nitric oxide, achieving a preductal saturation of 92% and a postductal saturation of 87%. A chest radiograph is performed (Figure 1).

Of the following, the test MOST likely to diagnose this neonate's underlying condition is

3. Continue to answer each question. Once all the questions are complete, you will see the option to Retake again.

The screenshot shows the NeoReviewsPlus interface for the month of March. The top navigation bar includes 'Self-Assessment', 'PREP Pearls', and 'Editorial Board'. A left sidebar lists months from Home to August, with 'March' selected. The main content area displays a 'CONGRATULATIONS' message: 'THIS ASSESSMENT IS NOW COMPLETE.' with a 'CLAIM CREDIT' button. Below this is a 'PROGRESS' summary: Total Questions: 8, Total Answered: 8, Correct: 5, and an 'Assessment History' link with a circled 'Take Again' button. The question text for 'Question: 8' is visible, describing a clinical scenario about a premature infant with reflux. At the bottom, the start of the question text is visible: 'Of the following, the complication MOST associated with a medication that acts via the 5-hydroxytryptamine (5-HT) receptor is'.

The screenshot shows the NeoReviewsPlus interface for the month of March, but with a failing score. The top navigation bar is the same. The left sidebar shows 'March' selected. The main content area displays a 'FAILING SCORE' message: 'YOU HAVE NOT MET THE MINIMUM PASSING SCORE FOR THIS ASSESSMENT.' with a 'TAKE AGAIN' button. Below this is a 'PROGRESS' summary: Total Questions: 8, Total Answered: 8, Correct: 3, and an 'Assessment History' link with a circled 'Take Again' button. The question text for 'Question: 8' is visible, describing a clinical scenario about a premature infant with reflux. At the bottom, the start of the question text is visible: 'Of the following, the complication MOST associated with a medication that acts via the 5-hydroxytryptamine (5-HT) receptor is'.

4. You will be able to select which questions you would like to retake

The screenshot shows a confirmation dialog box with a yellow header and a white body. The header contains a warning icon and the text 'Please Confirm'. The body contains the question 'Are you sure you wish to take this assessment again?' and three buttons: 'Retake All Questions', 'Retake Missed Questions', and 'Cancel'. The dialog is overlaid on a dark background that shows the text 'Question: 8' at the bottom.

After completing one cycle of the assessment, you will also have a separate option to Reset the assessment at any time.

NeoReviewsPlus

Self Assessment | PREP Pearls | Editorial Board

Home | Overview | January | February | **March** | April | May | June | July | August

Course Status

### March

Print

PROGRESS | Total Questions: 8 | Total Answered: 3 | Correct: 3 | Assessment History | **Reset Assessment**

Learner Mode | View: Unanswered (5) | Page 4 of 10

#### Question: 3

A pediatrician consults you about a term newborn with an abnormally shaped head (Figure 1). In addition to the findings noted in the photo, there is a high-arched palate and broad toes. The baby's maternal grandmother reports that the father's side of the family is "slow." The father's sister had a genetic evaluation for her craniofacial anomalies and was found to have a point mutation of the fibroblast growth factor receptor 3 gene. A 3D reconstruction computed tomographic (CT) scan of the baby's head was ordered and is shown in Figure 2.

Of the following, the MOST appropriate screening test for this newborn is

- A. audiogram
- B. echocardiogram
- C. electroencephalogram
- D. renal ultrasonogram

Submit | Reset

Please Confirm

**Are you sure you want to Reset the Assessment data?**

All of your answers will be reset so that you may take the assessment again. Click OK to reset the assessment or click Cancel to keep the answers that you have already submitted.

OK | Cancel

If these steps were used to correct an issue but the issue persists, please contact the Customer Service Center at 800.433.9016 or email us at [csc@aap.org](mailto:csc@aap.org) for further assistance